A4 COLOUR INKJET PRINTER

WORKFORCE PRO WF-C579R





Enjoy low-cost, durable and reliable printing in high volume with the Epson WorkForce WF-C579R business printer. Deliver fast print speeds at 24ipm with a first colour page-out time in just 5.3secs. Reduce the need for replacing consumables with high capacity ink packs that help to lower running costs. With a range of printing and connectivity features, this printer is the ideal solution for workgroups that require hassle-free, low-maintenance and high volume printing.



















Open Platform Enabled



With option of standard ink packs or large ink packs.



WorkForce Pro WF-C579R Print/Scan/Copy/Fax

IT'S IN THE DETAILS.

With PrecisionCore™ printhead technology, Epson WorkForce Pro WF-C579R excels with speed, quality and reliability.



PrecisionCore Printhead Technology

Experience reliability, durability and quality prints that meet the standards of business printing with PrecisionCore technology.

Innovative Replaceable Ink Pack System

Lower maintenance with high capacity ink packs from Epson's Replaceable Ink Pack System (RIPS) that yield up to 50,000 pages in black or up to 20,000 pages in colour at low running costs.

Built For The Environment

Extremely low power consumption and less replacement parts compared to laser printers mean a greater positive impact on the environment.





Fast, reliable and cost efficient, Epson WorkForce Pro business printers deliver outstanding print performance to edge out laser competitors. With an innovative print system and a wide range of connectivity features that allow you to print in high volume, WF-C579R is the printer of superior productivity, meeting your evolving business needs.


PrecisionCore Printhead Technology



PrecisionCore builds on Epson's longstanding reputation for output quality, at the speeds and reliability required for commercial and industrial printing.

This revolutionary technology enables the WF-C579R to print at blazing print speeds of up to 24ipm and a first page-out time of just 5.3 seconds in colour. What's more, each print chip is capable of generating up to 40 million precise dots per second to deliver fast printing speeds and excellent output quality.

With advanced built-in Nozzle Verification Technology, the monitoring of nozzle health and print quality adjustments are done automatically without interruption, even during printing. Productivity is further enhanced with a reliable maximum monthly duty cycle of 50,000 pages.





Simple, cool, contactless technology



Complex technology using heat and pressure

Innovative Replaceable Ink Pack System

Convenience is a top priority. That's why Epson's Replaceable Ink Pack System (RIPS) is designed for easy, hassle-free ink replacements. With the standard ink packs giving you up to 10,000 pages in black and 5,000 pages in colour, users have the option to purchase high capacity ink packs that print up to 50,000 pages in black and 20,000 pages in colour. This minimises the downtime needed to replace the inks and enable greater cost savings.

In addition, Epson's DURABrite™ Ultra ink delivers laser-like quality prints that are water-, fade- and smudge-resistant.



Enjoy greater cost-savings with these high-volume ink packs

Designed for easy replacement of ink packs

Built for the Environment

No Heating, Less Power Consumption & Simple to Use

Unlike laser printers, which require heat to fix toner on paper, inkjet printers do not need heat to operate. They are also fast and simple to use, which substantially reduces power consumption from minimal maintenance and fewer consumables.

Superior Productivity



Automatic Duplex Printing and Scanning

The printer supports automatic duplex printing of up to 15ipm for A4, reducing paper wastage. The one pass duplex ADF unit allows for quick, convenient scanning and copying of double-sided documents.



Versatile Paper Handling

Input paper capacity can be upgraded with an additional paper cassette to support up to 1,330 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media.



USB Host Function

The WF-C579R comes with a USB port for direct printing, scanning and saving faxes using USB flash memory devices.



LCD Screen

Experience easy set-up and PC-less operation with the 4.3" colour touch screen.

Versatile Connectivity

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax, Wi-Fi Direct and USB 2.0, the printer is perfect for office environments. What's more, Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any device or PC with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple[®] AirPrint[™]
- Google Cloud Print™
- Mopria™ Print Service

Advanced Workflow Solutions

Get the most out of your printers with an extensive range of software solutions.

Fleet Management



Epson Device Admin

A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Print Management



Epson Print Admin

A server-based solution that creates a secured centralised printing, scanning and copying environment through user-authentication. Advanced reporting functions can help organisations reduce printing costs and run Managed Print Programmes.

Document Management



Document Capture Pro*

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises

barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

*Document Capture Pro (Windows), Document Capture (Mac OS X)



Document Capture Pro Server

The WF-C579R is compatible with Document Capture Pro Server, making it easy to seamlessly and locally manage documents. Document Capture

Pro integrates into document management and cloud storage systems, enabling you to capture, enhance, edit and distribute scanned documents effectively throughout your business.

Integration with Third-party Solutions

Epson Open Platform

Gain complete control of your printing operations via a range of third-party solutions that enable you to adapt the WorkForce Pro printers to meet specific and changing business requirements with solutions for print and document management.

Robust Security Features

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Limited Access Function

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

WORKFORCE PRO WF-C579R



Prince P		WF-C579R	
Processor Proc	Printer Type		
Prince Incombacy Prince		i iiii, Goaii, Gopy, Fax With ADF	
Price Pric		PrecisionCore Printhead	
Martine Processor Mart		400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)	
Minimum Mini			
First Speak 1995 19			et Technology)
Draft Face - Mores, Ad (Basel's Coopure) 50 2473 A. A Pales (Basel Color) 50 2473 A. A Pales (Color) 50 2473 A. Pales (Color) 50 2473 A. A Pales (Color) 50 2473 A. Pales (Color) 50 2473 A. A Pales (Color) 50 2473 A. A Pales (Color) 50 2473 A. A Pales (Color) 50 2473 A. Pales (Color) 50 2473 A. A Pales (Color) 50 2473 A. Pales		3.8 pl	
S. 0.2 FLAN, AM Stripter Black / Corour 50.2 FLAN, AM Stripter Coron 50.2 F		Un to 34nnm / 34nnm	
SO 2475A, Ad Diptor (State) Color.			
Pieter Language			
Manman Horth Duty Cype* Use Spices Use		ESC/P-R	
Automatics 2-search Finning			Level 3, PDF (ver1.7)
Copyrist			
Copy State of Black Colors (1) 50 2013 A Black Colors (1) 50 50 50 50 50 50 50 50 50 50 50 50 50		Yes (up to A4)	
SO 2475, A4 Elsek / Colour, 17 20			
SD 2 4753, AH Black / Colout, 112 / 22 10		Up to 22ipm / 22ipm	
SSO 2475, Add Black / Coloru 12, 2°) Crey Coulshy Packston / February Reduction			
Maintain Copies from Standations 250 capes 250 c	ISO 24735, A4 (Black / Colour, 1:2, 2:2)	Up to 14ipm / 14ipm	
Reduction Effective Effe			oto
Marram Copy Resolution			
Asi, Latter Latte			
Pather Art All St. As Bit Am 1964, 10 x 15 cm, 410, Dit. Cd. CB Samon Sa			
Seaming Seam			n 16:0 10 v 15 om #10 DL C4 C6
Science Type Type Science Type Type Science Type Science Type		Letter, A4, B5, A5, B6, A6, T6K, T5 X T6 C	11, 16:9, 10 x 13 cm, #10, DL, C4, C6
Service Dipid Service Servic		Flathed colour image scanner	
Chical Presidention			
Maceman Scan Aves 216.2397 mm 85 x 1.17			
Scanner RE Depth Colour Growy and Colour Face Function Colour Co	Maximum Scan Area		
Service Serv			
Security			
Scan Speed Flatbeat APE Simplex APE Duplex			
Sac 43 Dept / 10 Dept Sac / 13 Dept /		10-bit input, 1-bit output	
Color 2001a 5.0 sec / 30 port / 50 port 5.0 sec / 30 port 5.0		5.0 sec / 30 ppm / 60 ipm	
Fax Function			
Vigilar Vigi		0.0 3cc / 00 ppm / 00 ipm	
Backets Memory Fage Memory Early		Walk-up Black-and-white and Colour Fax (Capability
Fax Speed (Data Transfer Rate)	Receive Memory / Page Memory		
Fax Resolution		ITU Group3 Fax with Error Correction Mod	9
Transmission Paper Size A5, BS,(JIS), Letter, A4 Letter, A4 Letter, A4 Legal, A5, BS, B5, S1*13"			
Flated ADF		<u>Up to 200 x 200 dpi</u>	
App Peceving Pager Size As Studies As S		AE DE/IIC) Letter A4	
Receiving Paper Size A5, BSUSJL, Letter, A1, Legal, 8.5" x 12" Dispose Del / You plaid D			
Speed Daily / Group Dial Fast Peatures Por Fax (Transmission / Receive), Address Book, Delay Send, Transmit Reservation (50 case), Broadcast Fax (Mono Chiy)			
Fax Features			
AGF Function Support Paper Trickness 54 - 95 g/m² 50 pages (BOg/m²) 50 pages		PC Fax (Transmission / Receive), Address	Book, Delay Send, Transmit Reservation (50 case), Broadcast Fax
Support Paper Thickness 64 - 95 g/m² Depairs Capacity 50 pages (80y/m²)		(Mono Only)	
Paper Capacity		04 05 (2	
Card Stof/ USB Host Function USB Host USB Memory			
USB Host USB Host (Scan to memory device / Storage function) USB Memory		50 pages (60g/III)	
USB Memory Paper Hanting Paper Feed Method Number of Paper Trays Paper Handing Paper Feed Method Paper Trays Paper Hold Capacity Cassette 1: 250 sheets (80g/m²), 50 sheets Premium Glossy Photo Paper Cassette 2: 500 sheets (80g/m²), 50 sheets Premium Glossy Photo Paper Cassette 2: 500 sheets (80g/m²), 20 sheets Premium Glossy Photo Paper Paper Size (Rear Tray) Faer Slot 68 sheets (80g/m²), 20 sheets Premium Glossy Photo Paper Paper Size (Rear Tray) 150 sheets (80g/m²), 20 sheets Premium Glossy Photo Paper Paper Size (Rear Tray) 150 sheets (80g/m²), 20 sheets Premium Glossy Photo Paper Paper Size (Rear Tray)		USB Host (Scan to memory device / Stora	ge function)
Paper Face Method			
Number of Paper Trays 2 Front 2, Rear 1)			
Paper Hold Capacity	Paner Feed Method		
Cassette 1: 250 sheets (80g/m²)			
Cassette 2: 500 sheets (80g/m²)	Number of Paper Trays	3 (Front 2, Rear 1)	
Pear Slot: 80 sheets (80g/m²)	Number of Paper Trays Paper Hold Capacity		s Develop Class Plats Days
Dutput Capacity 150 sheets (BOy/m²), 20 sheets Permium Glossy Photo Paper Paper Size Paper Size Rear Tray 215,9 x 6,000 mm (8.5 x 236.2*) 215,9 x 6,000 mm (8.5 x 236.2*) 3mm top, left dragh 215,9 x 6,000 mm (8.5 x 236.2*) 3mm top, left, right, bottom 3mm	Number of Paper Trays Paper Hold Capacity	Cassette 1: 250 sheets (80g/m²), 50 sheet	s Premium Glossy Photo Paper
Paper Size	Number of Paper Trays Paper Hold Capacity	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²)	s Premium Glossy Photo Paper
Maximum Paper Size (Rear Tray) 21.5 9 x 6,000 mm (8.5 x 28.6.2*) 3mm top, left, right, bottom 1.5 mm top, left, right, right	Number of Paper Trays Paper Hold Capacity Input Capacity	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²)	
Interface USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TOP/IPA, TOP/IPA, TOP/IPA, ELPD, IPP, PORT910, WSD Network Aranagement Protocols SMMP, HTTP, PORT910, WSD Network Management Protocols SMMP, HTTP, PORT910, WSD DNS, SMTP, SLP, WSD, LLTD Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Mobile and Cloud Printing Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud Apple AirPrint, Google Cloud Print, Mopria Print Service Control Panel As* TFT Colour Touch LCD Touc	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0	Slossy Photo Paper
USB 2.0	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13°, Legal, Letter, A4, Executive, B5,	Slossy Photo Paper
Network Protocol Network Protocol Network Protocol Network Protocol Network Protocol Network Protocol SMMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD Security Functions Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Mobile and Cloud Printing Epson Connect Other Mobile Solutions Other Mo	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²), 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°)	Slossy Photo Paper
Network Protocol Network Management Protocols Security Functions SumP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode Spson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Standard Voltage Standard Sisce Standard Slack Standard Black Standard Slack Standard Magenta Standard Valgor High Capacity Gyan High Capacity Vallow Maintenance Box Options TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD Limit Access Function, IPN No. Certification, LDAP Address Book, IP Addre	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom	Slossy Photo Paper
Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud Apple AirPrint, Google Cloud Print, Mopria Print Service Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Voltage Rated Prequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing Plain Paper Default*3 Consumables Standard Black Standard Black Standard Standard Wagenta High Capacity Vellow High Capacity Vellow Maintenance Box Options SNIMP HTTP, DHCP, BOOTP, APIPA, PING, DDNS, SNTP, SLP, WSD, LLTD Limit Access Function, PIN No. Certification, LDAP Address Blook, IP Address Filtering, Panel Admin Mode Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Apple AirPrint, Geogle Cloud Print, Mopria Print Service 4,3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Apple AirPrint, Geogle Cloud Print, Mopria Print Service 4,3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Epson IPrint, Epson Email Print, Rem	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13". Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0	Silossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4
Limit Access Function, LIDAP Address Book, IP Address Filtering, Panel Admin Mode	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di	ilossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4
Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Network Protocol	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910	Slossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD
Epson Connect Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Other Mobile Solutions Apple AirPrint, Google Cloud Print, Mopria Print Service Control Panel 4.3" TFT Colour Touch LCD Printer Software Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Electrical Specifications Ac 220 - 240V Rated Voltage AC 220 - 240V Rated Prequency 50 - 60 Hz Power Consumption 29W Sleep 1.3W Power Off Visit Air W Noise Level Power Off Po Printing/ Plain Paper Default 3 6.68 (A), 54dB (A) Consumables Page Yield 4 Order Code Standard Black 10.00 pages C13T01 C100 Standard Magenta 50,000 pages (Composite Yield) C13T01 C300 Standard Magenta 50,000 pages C13T01 D200 High Capacity Vagenta C13T01 D200 C13T01 D200 High Capacity Vagenta C13T01 D400 C13T01 D400 Maintenance Box Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TOP/IPv4, TCP/IPv6, LPD, IPP, PORT9100 SNMP, HTTP, DHCP, BOOTP, APIPA, PING	ilossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD
Other Mobile Solutions Apple AirPrint, Google Cloud Print, Mopria Print Service Control Panel 4.3" TFT Colour Touch LCD Printer Software Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Electrical Specifications Kated Voltage AC 220 - 240V Rated Frequency 50 - 60 Hz Coher Level Power Consumption 29W Consumption Operating Standby 1.3W Steep 1.3W Power Off 0.2W Power Off O.2W Noise Level Power Off O.29 W Consumables Page Yield* Order Code Standard Slack 10,000 pages C13T01C100 C13T01C300 C13T01C300 C13T01C400 C13T01C400 C13T01C400 C13T01C400 C13T01C400 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D400	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB USB USE Network Network Protocol Network Management Protocols Security Functions	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TOP/IPv4, TCP/IPv6, LPD, IPP, PORT9100 SNMP, HTTP, DHCP, BOOTP, APIPA, PING	ilossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD
LCD Screen 4.3" TFT Colour Touch LCD Printer Software Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Electrical Specifications AC 220 - 240V Rated Voltage 50 - 60 Hz Power Consumption 29W Standby 14W Sleep 1.3W Power Off 0.2W Noise Level 6.68(A), 54dB(A) Consumables Page Yield¹* Order Code Standard Black 10,000 pages C 13T011000 Standard Magenta 5,000 pages (Composite Yield) C 13T011200 Standard Yellow C 13T011200 C 13T011200 High Capacity Cyan C 13T011200 C 13T011200 High Capacity Wagenta 20,000 pages (Composite Yield) C 13T011200 High Capacity Yellow C 13T011200 C 13T011200 Mairtenance Box C 13T01600 C 13T01600 Optoricos Order Code C 13T01600	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT310.0 SNMP, HTTP, DHCR, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio	rect , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud
Printer Software Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Electrical Specifications Ac 220 - 240V Rated Prequency 50 - 60 Hz Power Consumption 29W Operating Standby Sleep 1.3W Sleep 1.3W Power Off 0.2W Noise Level Consumbles PC Printing/ Plain Paper Default³ 6.6B(A), 54dB(A) Consumables Page Yield³ Order Code Standard Black 10,000 pages C13T01C200 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow 50,000 pages C13T01D400 High Capacity Black 50,000 pages (Composite Yield) C13T01D200 High Capacity Wagenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Vellow C13T01D400 Waintenance Box Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT310.0 SNMP, HTTP, DHCR, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio	rect , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud
Operating System Compatibility Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Electrical Specifications AC 220 - 240V Rated Voltage AC 220 - 240V Power Consumption Secondary Operating Standby 29W Steep 1.3W 0.2W Power Off Noise Level Pe Printing/ Plain Paper Default ³ 6.68(A), 54dB(A) Consumables Page Yield ¹ Order Code Standard Black 10.000 pages C13T01C300 Standard Magenta 5.000 pages (Composite Yield) C13T01C300 Standard Magenta 5.0000 pages C13T01D200 High Capacity Oyan C13T01D200 C13T01D200 High Capacity Wagenta C13T01D200 C13T01D200 High Capacity Wagenta C13T01D200 C13T01D400 Maintenance Box Order Code Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P, Apple AirPrint, Google Cloud Print, Mopria	rect , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud
Electrical Specifications AC 220 - 240V Rated Voltage AC 220 - 240V Rated Frequency 50 - 60 Hz Power Consumption 29W Standby 14W Steep 1.3W Power Off 0.2W Noise Level Per Printing/ Plain Paper Default ³ 6.68(A), 54d8(A) Consumables Page Yield ⁴ Order Code Standard Black 10,000 pages C13T010100 Standard Magenta 5,000 pages (Composite Yield) C13T010300 Standard Yellow C13T010400 High Capacity Black 50,000 pages C13T01D200 High Capacity Wagenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Wagenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Yellow C13T01D400 C13T01D400 Mairtenance Box Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P, Apple AirPrint, Google Cloud Print, Mopria	rect , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud
Rated Voltage AC 220 - 240V Rated Frequency 50 - 60 Hz Power Consumption 29W Standby 14W Sleep 1.3W Power Off 02W Noise Level 6.68(A), 54dB(A) Po Printing/ Plain Paper Default ²³ 6.68(A), 54dB(A) Consumables Page Yield ³ Order Code Standard Black 10.000 pages C13T01C200 Standard Magenta 5.000 pages (Composite Yield) C13T01C300 Standard Wagenta 5.0000 pages C13T01D400 High Capacity Black 5.0000 pages C13T01D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Vellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SMMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pl Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Rated Frequency 50 - 60 Hz Power Consumption 29W Standby 14W Sleep 1,3W Power Off 0,2W Noise Level PC Printing/ Plain Paper Default ³ 6.68(A), 54dB(A) Consumables Page Yield ³ Order Code Standard Black 10,000 pages C13T01C100 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Magenta 5,0000 pages C13T01D00 High Capacity Gyan C13T01D00 C13T01D00 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D00 High Capacity Yellow C13T01D400 C13T01D400 Maintenance Box C13T01D400 C13T01D400 Maintenance Box Order Code C13T01D400	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Awarmum Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SMMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pl Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Power Consumption 29W Operating 14W Standby 1.3W Power Off 0.2W Noise Level PC Printing/ Plain Paper Default ³ 6.6E/A), 54dB(A) Consumables Page Yield ⁴ Order Code Standard Black 10,000 pages C13T01C100 Standard Wagenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Wagenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Yellow C13T01D300 C13T01D400 Maintenance Box C13T671E00 Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13*, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2*) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORTS100 SNMP, HTTP, DHCP, BOOTP, APIPA, PING Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P: Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 /	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Operating Standby 29W Standby 14W Sleep Power Off 1.3W Power Off 0.2W Noise Level P C Printing/ Plain Paper Default³ 6.6B(A), 54dB(A) Consumables Standard Black 10,000 pages C13T01C100 Standard Cyan C13T01C200 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Vallow C13T01D400 C13T01D400 Maintenance Box C13T01D400 C13T01D400 Options Order Code Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pl Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 /	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Standby Steep 1.3W	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pl Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 /	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Power Off	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT91D C SNMP, HTTP, DHCR, BOOTP, APIPA, PING Limit Access Function, PIN No. Certification Epson iPrint, Epson Email Print, Remote Pi Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / 29W	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Noise Level 6.6B(A), 54dB(A) PC Printing/ Plain Paper Default ¹³ 6.6B(A), 54dB(A) Consumables Page Yield ¹⁴ Order Code Standard Black 10,000 pages C13T01C100 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 High Capacity Black High Capacity Slack 50,000 pages C13T01D100 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Yellow C13T01D300 C13T01D400 Maintenance Box C13T671600 Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Prequency Power Consumption Operating Standby	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P, Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Wind AC 220 - 240V 50 - 60 Hz	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
PC Printing/ Plain Paper Default ¹³ 6.6B(A), 54dB(A) Consumables Page Yield ¹⁴ Order Code Standard Black 10,000 pages C13T01C100 Standard Vagent C13T01C200 Standard Yellow C13T01C300 High Capacity Black 5,000 pages (Composite Yield) C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Yellow C13T01D300 C13T01D400 Maintenance Box C13T671600 Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13*, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BODTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pi Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 /	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Consumables Page Yield¹ Order Code Standard Black 10,000 pages C13T01C100 Standard Cyan C13T01C200 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Cyan C13T01D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D300 High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13*, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BODTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pi Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 /	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Standard Black 10,000 pages C13T01C100 Standard Cyan C3T01C200 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Cyan C13T01D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D300 High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating System Compatibility Sleep Power Off Noise Level	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P. Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Wind AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W	rect , WSD , DDNs, mDNs, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service
Standard Cyan C13T01C200 Standard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Cyan C13T01D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D200 High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing / Plain Paper Default*3	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13*, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2*) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SMMP, HTTP, DHCP, BOOTP, APIPA, PING Limit Access Function, PIN No. Certification Epson iPrint, Epson Email Print, Remote Pl Apple AirPrint, Google Cloud Print, Mopria 4.3* TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8	ilossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service ows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later
Slandard Magenta 5,000 pages (Composite Yield) C13T01C300 Standard Yellow C13T01C400 High Capacity Black 50,000 pages C13T01D100 High Capacity Vagn C13T01D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D300 High Capacity Yellow C13T01D400 Mairtenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Aper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Noble And Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ³ Consumables	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORTP100. SNMP, HTTP, DHCR, BOOTP, APIPAP 100. SNMP, HTTP, DHCR, BOOTP, APIPAP 100. Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pi Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8	A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD n, LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service Ows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later
Standard Yellow C13T01 C400 High Capacity Black 50,000 pages C13T01 D100 High Capacity Cyan C13T01 D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01 D300 High Capacity Yellow C13T01 D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Of Noise Level PC Printing/ Plain Paper Default ³ Consumables Standard Black	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORTP100. SNMP, HTTP, DHCR, BOOTP, APIPAP 100. SNMP, HTTP, DHCR, BOOTP, APIPAP 100. Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote Pi Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8.1 / 10, Windows XP / Vista / 3 / 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8 / 8	Glossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service Ovder Code C13T01C100
High Capacity Black 50,000 pages C13T01D100 High Capacity Cyan C13T01D200 High Capacity Magenta C13T01D300 High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standbry Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black Standard Slack Standard Black Standard Size	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT91 DI TCP/IPv6, LPD, IPV6,	Silossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD n, LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service Order Code C13T01C100 C13T01C200
High Capacity Cyan C13T01D200 High Capacity Magenta 20,000 pages (Composite Yield) C13T01D300 High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default'3 Consumables Standard Black Standard Glack Standard Oyan Standard Magenta	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium C 8.5 x 13", Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT91 DI TCP/IPv6, LPD, IPV6,	Silossy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect I, WSD I, DDNS, MDNS, SNTP, SLP, WSD, LLTD In, LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service Order Code C13701C100 C13701C200 C13701C200 C13701C300
High Capacity Magenta 20,000 pages (Composite Yield) C13T01D300 High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LOD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Office Noise Level Po Printing' Plain Paper Default'3 Consumables Standard Black Standard Signature Standard Sign	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13*, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2*) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100 SNMP, HTTP, DHCP, BOOTP, APIPA, PINA Limit Access Function, PIN No. Certification Epson iPrint, Epson Email Print, Remote P. Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Winc AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages (Composite Yield)	Silossy Photo Paper A5, A6, B6, S x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 rect , WSD , DDNS, mDNS, SNTP, SLP, WSD, LLTD , LDAP Address Book, IP Address Filtering, Panel Admin Mode rint Driver, Scan to Cloud Print Service Order Code C13T01C100 C13T01C300 C13T01C300 C13T01C300 C13T01C300 C13T01C400
High Capacity Yellow C13T01D400 Maintenance Box C13T671600 Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black Standard Magenta Standard Magenta Standard Magenta Standard Yellow High Capacity Black	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13*, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2*) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100 SNMP, HTTP, DHCP, BOOTP, APIPA, PINA Limit Access Function, PIN No. Certification Epson iPrint, Epson Email Print, Remote P. Apple AirPrint, Google Cloud Print, Mopria 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Winc AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages (Composite Yield)	Classy Photo Paper A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 Frect I, WSD I, DDNS, mDNS, SNTP, SLP, WSD, LLTD I, LDAP Address Book, IP Address Filtering, Panel Admin Mode Fint Driver, Scan to Cloud Print Service Order Code C13T01C100 C13T01C200 C13T01C300 C13T01C400 C13T01C400 C13T01C400 C13T01C400 C13T01C00 C13T01C400 C13T01C00 C13T01C00 C13T01C400 C13T01D100
Options Order Code	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Awarinum Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standbry Sleep Power Off Notes Level Poc Printing/ Plain Paper Default ¹³ Consumables Standard Black Standard Magenta Standard Magenta Standard Hagort Standard Ha	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P. Apple AirPrint, Google Cloud Print, Mopria 4.3° TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Winc AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages 5,000 pages (Composite Yield)	Silossy Photo Paper
	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Output Capacity Awarmum Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sieep Power Off Noise Level PC Printing/ Plain Paper Default'3 Consumables Standard Black Standard Slack Standard Yellow High Capacity Black High Capacity Van High Capacity Valen High Capacity Viellow	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P. Apple AirPrint, Google Cloud Print, Mopria 4.3° TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Winc AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages 5,000 pages (Composite Yield)	Castro Code Code Castro Code Castro Code Castro Code Castro Code Castro Code Code Code Code Code Code Code Code
500 Sheets Optional Cassette Unit C12C932871	Number of Paper Trays Paper Hold Capacity Input Capacity Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sieep Power Off Noise Level PC Printing/ Plain Paper Default'3 Consumables Standard Siack Standard Cyan Standard Standard Standard Standard Magenta Standard Hollow High Capacity Black High Capacity Black High Capacity Magenta High Capacity Magenta High Capacity Magenta Maintenance Box	Cassette 1: 250 sheets (80g/m²), 50 sheet Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium 0 8.5 x 13°, Legal, Letter, A4, Executive, B5, 215.9 x 6,000 mm (8.5 x 236.2°) 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Di TCP/IPv4, TCP/IPv6, LPD, IPP, PORT910C SNMP, HTTP, DHCP, BOOTP, APIPA, PINC Limit Access Function, PIN No. Certificatio Epson iPrint, Epson Email Print, Remote P. Apple AirPrint, Google Cloud Print, Mopria 4.3° TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Winc AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages 5,000 pages (Composite Yield)	Silossy Photo Paper

Dimensions & Weight WF-C579R Weight: 25.8kg (56.9lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- *2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
- *3 Default mode in accordance with ISO7779 for MFPs.
- *4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one link colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for printing the printer. Ink is used for both printing and print head maintenance. All inks are used for both black and colour printing.

© 2019 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing Printed February 2019